

# Slit Lamp HAROLD\_044\_001

## Parameters and Metadata

### Eye HAROLD\_044\_001\_001 | v1.0

simpleParameter

Req. Analysis: false      Req. Upload: true      Is Annotated: true

Description: Eye

Options: normal, abnormal, left eye absent, right eye absent, bilaterally absent,

---

### Description HAROLD\_044\_001\_002 | v1.0

simpleParameter

Req. Analysis: false      Req. Upload: false      Is Annotated: false

Description: Description

---

### Eye size HAROLD\_044\_001\_003 | v1.0

simpleParameter

Req. Analysis: false      Req. Upload: false      Is Annotated: true

**Description:** Eye\_size

**Options:** normal, left eye decreased size, right eye decreased size, bilaterally decreased size, left eye increased size, right eye increased size, bilaterally increased size, not defined, no data,

---

## Eye (+) blood presence HAROLD\_044\_001\_004 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Eye\_\_blood\_presence

**Options:** absent, left eye present, right eye present, bilaterally present, not defined, no data,

---

## Eyelid closure HAROLD\_044\_001\_005 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Eyelid\_closure

**Options:** normal, left eye closed, right eye closed, bilaterally closed, left eye closure incomplete, right eye closure incomplete, closure incomplete bilaterally,

---

## Cornea HAROLD\_044\_001\_006 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Cornea

**Options:** normal, left eye abnormal, right eye abnormal, bilaterally abnormal,

---

## Cornea opacity HAROLD\_044\_001\_007 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Cornea\_opacity

**Options:** normal, left eye opaque, right eye opaque, bilaterally opaque, not defined, no data,

---

## Cornea vascularisation HAROLD\_044\_001\_008 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Cornea\_vascularisation

**Options:** absent, left eye present, right eye present, bilaterally present, not defined, no data,

---

## Lens HAROLD\_044\_001\_009 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

Description: Lens

Options: normal, left eye abnormal, right eye abnormal, bilaterally abnormal,

---

## Lens opacity HAROLD\_044\_001\_010 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

Description: Lens\_opacity

Options: normal, left eye opaque, right eye opaque, bilaterally opaque, not defined, no data,

---

## Iris/pupil HAROLD\_044\_001\_011 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

Description: IrisPupil

Options: normal, right eye abnormal, left eye abnormal, bilaterally abnormal,

---

## Iris/pupil position HAROLD\_044\_001\_012 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

**Description:** IrisPupil\_position

**Options:** normal, left eye abnormal, right eye abnormal, bilaterally abnormal, not defined, no data,

---

## Iris/pupil shape HAROLD\_044\_001\_013 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

**Description:** IrisPupil\_shape

**Options:** normal, left eye abnormal, right eye abnormal, bilaterally abnormal, left eye dilated, right eye dilated, bilaterally dilated, not defined, no data,

---

## Iris/pupil light response HAROLD\_044\_001\_014 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: false

Is Annotated: true

**Description:** IrisPupil\_light\_response

**Options:** normal, left eye abnormal, right eye abnormal, bilaterally abnormal, no data,

---

## **Iris pigment** HAROLD\_044\_001\_015 | v1.0

simpleParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Iris\_pigment

**Options:** normal, left eye abnormal, right eye abnormal, bilaterally abnormal, not defined, no data,

---

## **Digital image(s)** HAROLD\_044\_001\_016 | v1.0

seriesMediaParameter

**Req. Analysis:** false

**Req. Upload:** false

**Is Annotated:** true

**Description:** Digital\_Image(s)

---

## **Equipment name** HAROLD\_044\_001\_801 | v1.0

procedureMetadata

**Req. Analysis:** false

**Req. Upload:** true

**Is Annotated:** false

**Description:** Equipment\_name

---

## Equipment manufacturer HAROLD\_044\_001\_802 | v1.0

procedureMetadata

**Req. Analysis:** false

**Req. Upload:** true

**Is Annotated:** false

**Description:** Equipment\_manufacturer

---

## Equipment model HAROLD\_044\_001\_803 | v1.0

procedureMetadata

**Req. Analysis:** false

**Req. Upload:** true

**Is Annotated:** false

**Description:** Equipment\_model

---