# SHIRPA HMGULA\_SHI\_001

### Purpose

The purpose of the assessments is to examine mice for obvious physical characteristics and behaviors.

Descriptions include abnormal locomotion/appearance/behavior/reflex reactions.

### **Experimental Design**

- Minimum number of animals: 7M +7F
- Age at test: Week 53
- Sex: We would expect the results of this test to show sexual dimorphism

### Equipment

- Viewing Jar
- SHIRPA arena
- Grid above arena
- Click Box
- Geotaxis grid
- Tube for contact righting

### Procedure

- 1. Allow the mice to acclimatise to the phenotyping room for a period of 30 minutes prior to testing.
- 2. Throughout the test note any vocalisation, aggression, salivation or unexpected behaviours.
- 3. Place the mouse in a clear cylinder over a wire grid and observe for activity and tremors.
- 4. Transfer the mouse out of the cylinder by removing the metal plate/grid whilst positioning 30cm over an arena and record the transfer arousal.
- 5. Record the number of 10cm<sup>2</sup> squares the mouse moves into in the first 30 seconds in the arena (locomotor activity).

- 6. Allow the mouse to move freely around the arena whilst being observed for gait and tail elevation.
- 7. Hold the click box approximately 30cm above the arena and press the button, record the response of the mouse.
- 8. Pick up the mouse by the tail and observe for limp grasping and trunk curl. Trunk curl must only be recorded if the mouse curls forward without twisting its body, bending to one side is not scored as a trunk curl.
- 9. Place the mouse in a small transparent tube. Turn the tube quickly so the mouse is fully upside down and record if the mouse rights itself.
- 10. Record any vocalisation and/or aggression which were observed throughout the entire test

#### Notes

- 1. If wiping down with ethanol prior to the use of equipment, make sure no ethanol residue remains as the ethanol may affect the behaviour of the animals.
- 2. The validity of results obtained from behavioural phenotyping is largely dependent on methods of animal husbandry. It is important that individuals following this procedure are experienced and aware of the animal's welfare, and is familiar with the animal being tested, in order to reduce the anxiety levels of the animal prior to testing.
- 3. The majority of mouse behavioural studies are age/sex/strain dependent. It is important to keep these parameters comparable throughout a single experiment.
- 4. Environmental factors may contribute to the levels of anxiety within the mouse. The temperature, humidity, ventilation, noise intensity and light intensity must be maintained at levels appropriate for mice. It is essential that the mice be kept in a uniform environment before and after testing to avoid anomalous results being obtained.
- 5. It is recommended that all phenotyping experimentation is conducted at approximately the same time of day because physiological and biochemical parameters change throughout the day.
- 6. When a number of mice are tested continuously, residual odours from the equipment used in the preceding test may affect the test results. The floor and walls of the arena, ruler, and metal net should be wiped clean before introducing the next mouse. To prevent infection, the equipment should be washed with water at the completion of the day's tests. Some specific pathogen-free facilities use ultraviolet irradiation when tests are not being performed. Care needs to be taken, however, to ensure that ultraviolet irradiation does not crack any acrylate equipment covered with residual alcohol.

### **Parameters and Metadata**

### Activity (body position) HMGULA\_SHI\_003\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Options: As expected, Inactive		
Tremor HMGULA_SHI_C simpleParameter	004_001  v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Options: Absent, Present,		
Body weight HMGULA	A_SHI_001_001   v1.3	
Req. Analysis: false	Req. Upload: true	Is Annotated: false
Unit Measured: g		
Locomotor activity	HMGULA_SHI_002_001  v	1.2
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Unit Measured: Squares cros	sed	

### Defecation HMGULA\_SHI\_005\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true

\_\_\_\_\_

### Transfer arousal HMGULA\_SHI\_006\_001 | v1.2

simpleParameter

Options: As expected, Immediate movement, Extended freeze,

\_\_\_\_\_

#### Gait HMGULA\_SHI\_007\_001 | v1.0

simpleParameter

Req. Analysis: false

Req. Upload: true Is Annotated: true

Options: Lack of fluidity in movement, Fluid movement,

\_\_\_\_\_

Tail elevation HMGULA\_SHI\_008\_001 | v1.2

simpleParameter

**Options:** Dragging, No data, Straub / elevated tail, As expected,

#### Startle response HMGULA\_SHI\_009\_001 | v1.1

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: true
Options: No data, None, Pres	ent,	
Touch escape HMGL simpleParameter	JLA_SHI_010_001   v1.2	
Req. Analysis: false	Req. Upload: false	Is Annotated: false
Options: Response to touch,	No response, Flees prior to tou	ch,

.....

#### Trunk curl HMGULA\_SHI\_011\_001 | v1.0

simpleParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Options: No data, Present, Absent,

### Limb grasp HMGULA\_SHI\_012\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Options: Absent, No data, Pre	esent,	
Pinna reflex HMGULA simpleParameter	_SHI_013_001   v1.0	
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Urination HMGULA_SH simpleParameter	II_014_001  v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Options: Absent, Present,		

### Contact righting HMGULA\_SHI\_015\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
Options: No data, Present, At	osent,	
Evidence of Biting	HMGULA_SHI_016_001   v1	.0
Req. Analysis: false	Req. Upload: false	Is Annotated: true
Vocalization HMGULA	A_SHI_017_001   v1.0	
Req. Analysis: false	Req. Upload: true	Is Annotated: true
Options: As expected, Not as	expected,	
SHIRPA comment HMGULA_SHI_018_001   v1.0 simpleParameter		
Req. Analysis: false	Req. Upload: false	Is Annotated: false

#### Gait comment HMGULA\_SHI\_019\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: false	Is Annotated: false
	• •	
Number of entire de		
Number of animals	<b>in cage</b> HMGULA_SHI_	020_001   v1.2
procedureMetadata		
	0	

Req. Analysis: false	Req. Upload: true	Is Annotated: false

\_\_\_\_\_

#### Days since cage cleaning HMGULA\_SHI\_021\_001 | v1.0

procedureMetadata

Req. Analysis: false	Req. Upload: false	Is Annotated: false

#### Date/time of procedure start HMGULA\_SHI\_022\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: false Is Annotated: false

### Experimenter ID HMGULA\_SHI\_023\_001 | v1.0

procedureMetadata

.....

#### Unexpected behaviors HMGULA\_SHI\_024\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true
<b>Options:</b> Retropulsion, Jumpir	ng, Circling, None, Other,	

### Head bobbing HMGULA\_SHI\_025\_001 | v1.0

simpleParameter

Req. Analysis: false	Req. Upload: true	Is Annotated: true

Options: Present, Absent,

-----

### Location of test HMGULA\_SHI\_026\_001 | v1.1

#### procedureMetadata

Req. Analysis: false	Req. Upload: true	Is Annotated: false
----------------------	-------------------	---------------------

Options: LAF cabinet, Open bench,

\_\_\_\_\_

## Size of squares in arena HMGULA\_SHI\_027\_001 | v1.0

procedureMetadata

Req. Analysis: true	Req. Upload: true	Is Annotated: false
Unit Measured: cm^2		