## Rotarod ICS\_ROT\_001

#### **Parameters and Metadata**

### Latency to fall ICS\_ROT\_001\_001 | v1.1

seriesParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

Unit Measured: s

**Increments:** 1, 2, 3,

## Latency to fall mean ICS\_ROT\_002\_001 | v1.1

simpleParameter

Req. Analysis: false Req. Upload: false Is Annotated: true

Unit Measured: s

**Derivation:** meanOfIncrements('ICS\_ROT\_001\_001', 3)

#### Passive rotation ICS\_ROT\_003\_001 | v1.3

seriesParameter

Req. Analysis: false Req. Upload: true Is Annotated: true

**Increments:** 1, 2, 3, Options: yes, no, Body weight ICS\_ROT\_004\_001 | v1.0 simpleParameter Req. Analysis: false Req. Upload: false Is Annotated: false Unit Measured: g Equipment manufacturer ICS\_ROT\_005\_001 | v1.0 procedureMetadata Req. Analysis: false Req. Upload: true Is Annotated: false Options: Bioseb,

### Equipment model ICS\_ROT\_006\_001 | v1.0

procedureMetadata

Req. Analysis: false Req. Upload: true Is Annotated: false

Options: LE 8200,

Rod diameter ICS_RO procedureMetadata	OT_008_001   v1.1	
Req. Analysis: true	Req. Upload: true	Is Annotated: false
Unit Measured: cm		
Options: 4.5,		
Rod surface ICS_ROT procedureMetadata	Г_009_001   v1.0	
Req. Analysis: true	Req. Upload: true	Is Annotated: false
Options: Foam rubber,		
Acceleration mode	EICS_ROT_010_001   v1.0	
Req. Analysis: true	Req. Upload: true	Is Annotated: false
Options: starting speed 4-fina	ıl 40,	

# First intertrial interval ICS\_ROT\_011\_001 | v1.0

procedureMetadata

Req. Analysis: false	Req. Upload: true	Is Annotated: false	
Unit Measured: min			
Onit Measured: min			
Options: 15,			
Second intertrial interval ICS_ROT_012_001   v1.0			
procedureMetadata			
Req. Analysis: false	Req. Upload: true	Is Annotated: false	
. ,			
Unit Measured: min			
Options: 15,			
Experimenter ID ICS_ROT_007_001   v1.0			
procedureMetadata	·		
Req. Analysis: false	Req. Upload: true	Is Annotated: false	